

Teleos API Document



<https://teleos.in/>

info@teleos.in

Send SMS API:

Method : GET

URL: https://teleos.in/sms-login/services/send.php?key={API_KEY}&number={Mobile_No}&message={Message}&option=1&type=sms&useRandomDevice=1

Sample Response :

```
{ "success": true, "data": { "messages": [ { "number": "000000000000", "message": "Message", "deviceID": 26, "simSlot": null, "schedule": null, "userID": 1, "groupID": "ZbtlwQwfljtlDqDAXE6145ee33c47f00.10518561", "status": "Pending", "resultCode": null, "errorCode": null, "type": "sms", "attachments": null, "retries": null, "sentDate": "2021-09-18T19:48:35+0600", "deliveredDate": null, "expiryDate": null, "ID": 96273 } ] }, "error": null }
```

Description:

Key : API Key

Number : E164 formatted Mobile No. (Example 8801799275718)

Message : Your Full SMS Message

Option = 1 Represent round robin for all device, 0 Represent Static Device

Type : SMS (for SMS Message). For MMS use mms.

Use Random device: If you want to use random device use 1. Otherwise don't use

If there is any issue the response will be:

Error Response :

```
{ "success": false, "data": null, "error": { "code": 500, "message": "This device doesn't exist in database." } }
```

DLR

Method : GET

URL: <https://teleos.in/sms-login/dlr/?apikey=66747c7348e921211d421421321cedacew3f&smsid=96273>

Sample Response :

```
[{"status":true}, {"data":[{"ID":"96273","number":"8801712094169","message":"111","schedule":null,"sentDate":"2021-09-18 19:48:35","deliveredDate":null,"expiryDate":null,"status":"Pending","resultCode":null,"errorCode":null,"retries":"0","userID":"1","deviceID":null,"simSlot":null,"groupID":"ZbtlwQwfljtlDqDAxE6145ee33c47f00.10518561","type":"sms"}]}]
```

If the DLR URL have any wrong information the response will be:

```
[{"status":false}, {"data":{"message":"no message found with SMS ID : 962743 and User API KEY : 66747c7348e9ed421421321cedacew3f"}}]
```

Sample Php Code:

```
<?php
$API_KEY = "YOUR_API_KEY" ;
$Mobile_No = "Your_Mobile_No" ;
$Message = "Your_Message" ;
$PARAMETER =array(
"key" => $API_KEY ,
"option" => 1 ,
"number" => $Mobile_No ,
"message" => $Message ,
"type" => "sms" ,
"useRandomDevice" => 1 );
$FORM_FIELDS = http_build_query($PARAMETER) ;
$URL = "https://teleos.in/sms-login/services/send.php" ;
$URL .= "?" . $FORM_FIELDS ;
```

```

$headers = array(
'Connection: keep-alive',
'User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.3) Gecko/20070309
Firefox/2.0.0.3',
'contentType: "application/json"; charset=utf-8',
);
try {
    $ch = curl_init();
    curl_setopt($ch, CURLOPT_URL, $URL);
    curl_setopt($ch, CURLOPT_HEADER, false);
    curl_setopt($ch, CURLOPT_FOLLOWLOCATION, true);
    curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
    curl_setopt($ch, CURLOPT_IPRESOLVE, CURL_IPRESOLVE_V4);
    curl_setopt($ch, CURLOPT_SSL_VERIFYHOST, false);
    curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, false);
    curl_setopt($ch, CURLOPT_CUSTOMREQUEST, "GET" );
    curl_setopt($ch, CURLOPT_POST, false);
    curl_setopt($ch, CURLOPT_HTTPHEADER, $headers);
    curl_setopt($ch, CURLOPT_TIMEOUT, 30);
    curl_setopt($ch, CURLOPT_CONNECTTIMEOUT, 30);
    curl_setopt($ch, CURLOPT_MAXREDIRS, 10);
    curl_setopt($ch, CURLOPT_ENCODING, "");
    curl_setopt($ch, CURLOPT_AUTOREFERER, true);
    curl_setopt($ch, CURLOPT_USERAGENT, "Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US;
rv:1.8.1.3) Gecko/20070309 Firefox/2.0.0.3");
    curl_setopt($ch, CURLOPT_VERBOSE, false);
    curl_setopt($ch, CURLOPT_HTTP_VERSION, CURL_HTTP_VERSION_1_1);
    $curl_response = curl_exec($ch);
    curl_close($ch);
}

catch(Exception $e){
throw new Exception("Curl Error : ",0,$e);
return false ;
}

$FOREIGN_SMS_ID = null ;
$sms_status = (array) @json_decode($curl_response,true) ;
if (isset($sms_status['data']['messages'][0]['ID']))
    {
        $FOREIGN_SMS_ID = $sms_status['data']['messages'][0]['ID'] ;
    }
else
    {
        return false ;
    }

return "success - Message Id : " . $FOREIGN_SMS_ID );
}

```